




# Zaozhuang Yiding Bearing Co., Ltd.



140 mm x 300 mm x 102 mm NSK 32328 tapered roller bearings

Bearing No. 32328

32328 Bearing 2D drawings and 3D CAD models

Size	140x300x107.75 mm
Bore Diameter	140 mm
Outer Diameter	300 mm
Width	107,75 mm
d	140 mm
D	300 mm
T	107,75 mm
B	102 mm
C	85 mm
a	76,4 mm
r min.	5 mm
r1 min.	4 mm
da min.	172 mm
Da min	246 mm
Da max.	282 mm
db max.	177 mm
Db min.	281 mm
ra max.	4 mm
rb max.	3 mm
Weight	33,9 Kg
Basic dynamic load rating (C)	985 kN
Basic static load rating (C0)	1440 kN
(Grease) Lubrication Speed	1200 r/min
(Oil) Lubrication Speed	1600 r/min
Calculation factor (e)	0,37



## Zaozhuang Yiding Bearing Co., Ltd.

Calculation factor (Y0)	0,88
Category	Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	30.5
Product Group	B04334
LangID	1
outer r	4
D_	300
TC-BET22	0
TC-BET21	4
TC-BET23	0
inner r	5
mass	33.9
GRS rpm	1200
D_b	281
Cr	101000
TC-RA	574.765
DE_	259.193
T-ALP23	0
db	177
T-ALP22	0
Prod_Type3	TRBSR_MD_A
da	172
T-ALP21	28
Iso	-
ALPHA_	14
SDM_	222.825
SBRG	23
D_a2	246
hidYobi	32328



## Zaozhuang Yiding Bearing Co., Ltd.

Y1	1.6
D_a1	282
B_	102
hidTable	ecat_NSTPRM
Oil rpm	160
C0r	147000
Y0	0.88
TC-SLR	75
inner ra	4
outer rb	3
C0	1440
Sa	9
Sb	22.5
e	0.37
DA_	37.51
Z_	15
C_	85
yobi	32328
TC-DA1	40.115
TC-DA2	34.904
KBRG	3111
DI_	186.456