




# Zaozhuang Yiding Bearing Co., Ltd.

12,000 mm x 32,000 mm x 10,000 mm NTN  
CS201LLU deep groove ball bearings



Bearing No. CS201LLU

CS201LLU Bearing 2D drawings and 3D CAD models

Size	12x32x10 mm
Bore Diameter	12,000 mm
Outer Diameter	32,000 mm
Width	10,000 mm
d	12,000 mm
D	32,000 mm
B	10,000 mm
C	10,000 mm
Category	Insert Bearings Spherical OD
Inventory	7.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.035
Product Group	M06110
Inner Race Profile	Standard Inner Ring
Outer Race Profile	Spherical
Relubricatable	No
Seal Type	Contact
Mounting Method	Shaft Mount
Rolling Element	Ball Bearing
Snap Ring	No
Long Description	12MM Bore; Standard Inner Ring; Ball Bearing; 10MM Length Thru Bore; 10MM Outer Race Width; 32MM Outside Diameter; Not



## Zaozhuang Yiding Bearing Co., Ltd.

	Relubricatable; Contact Seal; Shaft Mount Mounting Method; No Snap Ring
Inch - Metric	Metric
Other Features	Single Row   Light Duty   Metric
Category	Insert Bearings
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	CS201LLU
Weight / LBS	0.088
Length Thru Bore	0.394 Inch   10 Millimeter
Outer Race Width	0.394 Inch   10 Millimeter
Outside Diameter	1.26 Inch   32 Millimeter
Bore	0.472 Inch   12 Millimeter
bore diameter:	12 mm
static load capacity:	2640 N
outside diameter:	32 mm
precision rating:	Class 0
overall width:	10 mm
finish/coating:	Uncoated
bore type:	Round
bearing material:	Through Hardened Steel
closure type:	Double Sealed
cage material:	Steel
row type & fill slot:	Single Row Non-Fill Slot
inner ring width:	10 mm
snap ring included:	Without Snap Ring
outer ring width:	10 mm



## Zaozhuang Yiding Bearing Co., Ltd.

internal clearance:	CN
fillet radius:	0.6 mm
operating temperature range:	-40 to 120 ° C
series:	CS2
dynamic load capacity:	4700 N
manufacturer product page:	<a href="#">Click here</a>