




Zaozhuang Yiding Bearing Co., Ltd.



SKF SYM 1.1/2 TF bearing units

Bearing No. SYM 1.1/2 TF

SYM 1.1/2 TF Bearing 2D drawings and 3D CAD models

Bore Diameter	38,1 mm
d	38,1 mm
s1	30,2 mm
A	47,6 mm
A1	32 mm
B	49,2 mm
G	12 mm
H	108 mm
H1	54 mm
H2	20,6 mm
J	143,7 mm
L	187,5 mm
N	22,7 mm
N1	14 mm
Weight	2,55 Kg
Basic dynamic load rating (C)	33,2 kN
Basic static load rating (C0)	21,6 kN
Fatigue load limit (Pu)	0,915
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	2.5
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw



Zaozhuang Yiding Bearing Co., Ltd.

Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1/2 Inch
Relubricatable	Yes
Insert Part Number	YAR 209-108-2F
Seals	M Seal
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Single Row Medium Duty Wide Inner Race Has Flinger
Long Description	2 Bolt Pillow Block; 1-1/2" Bore; 2-1/8" Base to Center Height; Set Screw Mount; Ball Bearing; 5-5/16" Minimum Bolt Spacing; 6" Bolt Spacing Maximum; Relubricatable; Cast Iron; M S
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	SYM 1.1/2 TF
Weight / LBS	5.5
Bore	1.5 Inch 38.1 Millimeter
Length Thru Bore	1.938 Inch 49.225 Millimeter
Bolt Spacing Maximum	6 Inch 152.4Millimeter
Bolt Spacing Minimum	5.313 Inch 134.95Millimeter



Zaozhuang Yiding Bearing Co., Ltd.

Actual Bolt Center to Center	0 Inch 0Millimeter
Base to Center Height	2.125 Inch 53.98 Millimeter
Nominal Bolt Center to Center	5.9 Inch 150 Millimeter